

# CERTIFICATE

<b>Certificate holder</b>	<b>LK Pex AB</b> <b>Rönnsagatan 4 A</b> <b>523 21 Ulricehamn</b> <b>SWEDEN</b>
<b>Product</b>	Plastic piping systems for warm water floor heating systems and radiator connecting
<b>Type, Model</b>	PE-Xa - Pipe
<b>Testing basis</b>	DIN 4726:2008-10 DIN EN ISO 15875-2:2004-03 DIN EN ISO 15875-3:2004-03 DIN EN ISO 15875-5:2004-03 Certification scheme plastic piping systems for warm water floor heating systems and radiator connecting (2011-06)

**Mark of conformity**

<b>Registration No.</b>	3V206 PE-Xa
<b>Valid until</b>	2019-11-30
<b>Right of use</b>	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.



# ANNEX

<b>Certificate</b>	3V206 PE-Xa dated 2014-11-18
<b>Technical Data</b>	<p>Pipe:</p> <ul style="list-style-type: none"><li>- Production plant: Rönnsagatan</li><li>- Material designation: PE-Xa</li><li>- Nominal-outside diameter x nominal thickness: 10 x 1,3 mm, 12, 14, 16, 17, 20 x 2 mm, 25 x 2,3 mm, with 3-layer construction; 17 x 2 mm, with 5-layer construction</li><li>- Design class: C</li><li>- Application class and operating pressure: Class 5 / 6 bar</li></ul> <p>Fitting/Connector:</p> <ul style="list-style-type: none"><li>- Name of the manufacturer: IPA Produktions- und Vertriebsges. m.b.H.</li><li>- Production plant: Betriebsgasse 4, A-3163 Rohrbach</li><li>- Type of fitting: clamp and press fittings</li><li>- Material designation: metal</li><li>- Type designation: M-MK</li></ul>
<b>Testing laboratory/ Inspection body</b>	SKZ - TeConA GmbH Friedrich-Bergius-Ring 22 97076 Würzburg GERMANY
<b>Test report(s)</b>	44603/01 dated 2001-10-11 60739/03 dated 2004-04-15; 51910/03 dated 2004-04-15 72167/06 dated 2006-11-27  Verification 2012 pipe: 313812/1.1/103390 dated 2012-12-14, 313812/2.1/104338 dated 2013-04-24 fitting: 313912/1.1/103391 dated 2012-10-18, 313912/2.1/104339 dated 2013-02-20 oxygen: 31 000 4526 dated 2012-10-18, 31 000 4587 dated 2013-02-05



# ANNEX

**Certificate**

3V206 PE-Xa dated 2014-11-18

Verification 2013

pipe: 313813/S1.1/112631 dated 2014-10-31, 313813/2.1/109965 dated 2014-04-28

fitting: 313913/0.1/107138 dated 2013-08-21, 313913/2.1/109976 dated 2014-04-28

oxygen: 31 000 4692 dated 2013-08-30, 31 000 4857 dated 2014-11-10

